

# 489 Cushion Flex<sup>®</sup>

Oil-resistant version diamond plate anti-fatigue mat



# Ergonomic, Anti-fatigue & Safety Matting - Dry Areas Standalone Matting 489 Cushion Flex®

Oil-resistant version of our bestselling anti-fatigue mat best known for its diamond plate top surface and high level of ergonomic comfort in both dynamic and stationary working positions.

- 100% nitrile rubber compound is resistant to most industrial oils and harsh chemicals
- A 12.7-mm thick worker platform offers maximum durability, comfort and insulation from hard floors and vibrations
- Yellow bevelled edges on all four sides minimize risk of tripping and comply with OSHA code 1910-144

#### Recommended use

- Dry Oily Areas
- For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms
- Heavy duty

#### Colors:

- Black
- Black/Yellow
- Black/Orange

#### Sizes:

- 91cm x 210cm



WEAR RESISTANCE

SLIP RESISTANCE

ANTI-FATIGUE

GOOD BETTER BEST





# Ergonomic, Anti-fatigue & Safety Matting - Dry Areas Standalone Matting Cushion Flex®

## General

|                   |  |
|-------------------|--|
| Brand             | Notrax   |
| Category          | Dry Areas Standalone Matting   |
| Product Number    | 489  |
| Product Family    | Industrial & Commercial Matting  |
| Product Group     | Ergonomic, Anti-fatigue & Safety Matting   |
| Product Name      | Cushion Flex®  |
| Recommended use   | For placement in manufacturing plants, production lines, assembly lines, CNC machines, metal working for individual workstations and custom work platforms |
| Shipping Location | Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands   |
| Type              | Dry Areas - Heavy Duty Industrial  |
| Update trigger    | 20210310-1301  |
| Usage Intensity   | Heavy duty   |

## Sustainability

|                  |   |
|------------------|---|
| REACH            | Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals). |
| Recycled         | True  |
| Sustainability   | Recyclable material   |
| Warranty (years) | 1   |

## Technical Specifications

|                |                             |
|----------------|-----------------------------|
| Application    | Industrial Environments     |
| Edges          | Bevelled edges on all sides |
| Material       | 100% Nitrile rubber         |
| Material Group | Nitrile rubber              |
| Process        | Compression Moulding        |