

FlexBrite™ Flexible Bollards



See Full FlexBrite™ Range


Features:

- Fully flexible, designed to spring back many times.
- 100% polyurethane means unrivalled durability.
- Oralite 5450 reflective tape, special cast PVC film.
- M10 x 110mm coachscrew & rawplug fixings included, suitable for tarmac or concrete.
- UV stabilised.
- Custom colours & tape available.

Benefits:

- Indestructible. Comes with 5 year colour warranty.
- Highly visible bollard.
- Ideal for separating lanes, creating boundaries & protecting pedestrians.
- Provides excellent impact recovery and minimum damage risk to vehicles.

Accessories:



Flexbrite

Insist On The Best

FlexBrite™ is the professional choice, with proven high quality and durability. **Avoid non-original copies** which crack after just a few impacts. Flexbrite is the original and the best.



 **Watch FlexBrite™ Installation**

Suitable for:





Height	1000mm	750mm	450mm
Top Diameter	ø 80mm		
Bottom Diameter	ø 200mm		
Material	100% Polyurethane		
Weight	1.54kg	1.28kg	0.98kg
Reflective Bands	4	3	2
Fixings	M10 x 110mm coachscrew and rawplug (x 3 required) (included)		
Additional Features	Heat resistance between -20C to +60C		

Choose Colour:



[P-762101 - 1000mm](#)
[P-895787 - 750mm](#)
[P-895788 - 450mm](#)




[P-762103 - 1000mm](#)
[P-895784 - 750mm](#)
[P-895785 - 450mm](#)



[P-762116 - 1000mm](#)




[P-762104 - 1000mm](#)
[P-895781 - 750mm](#)
[P-895782 - 450mm](#)



[P-762107 - 1000mm](#)



[P-762102 - 1000mm](#)
[P-895775 - 750mm](#)
[P-895782 - 450mm](#)



[P-762117 - 1000mm](#)



[P-762100 - 1000mm](#)
[P-895790 - 750mm](#)
[P-895791 - 450mm](#)

