



MATS FOR PROFESSIONAL USE

pittman | traffic & safety
equipment

✉ sales@pittmantraffic.com

☎ (01) 531 2111

Dry Areas - Light Duty

426 Posture Mat™



426 POSTURE MAT™

Dry Areas - Light duty

426 Posture Mat™

426 Posture Mat™ is an exceptionally comfortable anti-fatigue mat for standing workers in primarily stationary positions making it ideal for sit-stand desks and individual standing workstations.

Manufactured from a tri-layer energized dual foam, the 426 Posture Mat™ helps to improve balance with a firm yet comfortable feel for a stable and even standing surface that provides support and ergonomic comfort.

At 18 mm thick this anti-fatigue mat is designed for supportive yet buoyant feel for natural support to the core muscles to promote better alignment and posture. Foot pressure is distributed evenly so no pressure points are built up on the bottom of the feet from the hard floor underneath.

The top surface is smooth with an attractive textured pattern that fits well in any office environment and is also easy to clean. The PVC top coating that protects against high heel damage is combined with bevelled edges and rounded corners to minimize tripping.

Recommended use:

- Light duty
- Dry areas
- Ideal for stationary standing workstations, sit-stand desks, packing stations, office environments, reception areas, wait stations, service counters, cashiers

Specifications:

- Rubber on microcellular vinyl base
- Backing: Crumb rubber
- Moulded bevelled edges on all sides
- Overall thickness: 18 mm

Standard sizes:

- 51cm x 99cm
- 52cm x 70cm

Colours:


- Grey

Cleaning instructions:

- Daily sweeping with a brush



PRODUCT TESTING



426 Posture Mat™ (grey)

Art. nr.	Dimensions	Weight kg
426S7052GY	70 cm x 52 cm	1,2
426S9951GY	99 cm x 51 cm	1,55



426 Posture Mat™

GENERAL DESCRIPTION

Type	Dry Areas - Light Duty
Description	Exceptionally comfortable anti-fatigue mats for standing workers in primarily static positions.
Recommended use	Dry Areas
Surface	Smooth even surface
Category	Dry Areas Standalone Matting Light duty
Colours	Grey
Edges	Moulded bevelled edges on all sides

TECHNICAL SPECIFICATIONS

Material Rubber on microcellular vinyl base

Backing	Crumb rubber
Process	Lamination
Overall thickness	18 mm

TESTS

Slip rating	DIN 51130	R9
-------------	-----------	----

DIMENSIONS

Standard sizes	Full rolls	Custom lengths
51cm x 99cm		
52cm x 70cm		