

# 150 Aqua Trap<sup>®</sup>

Robust barrier mat with raised domes



# Dust Control Matting - Carpet Mats

## 150 Aqua Trap®

True to its name, this patented perimeter “Aqua Dam” forms a tray that can hold up to 6 litres of water per square meter and is treated with an anti microbial carpet treatment to stop bacteria and germs at the entrance.

- Textile top surface is high pressure moulded into a bubble design on an indestructible rubber base to withstand the heaviest of foot traffic
- Unsurpassed ability to scrape debris from shoes while maintaining its great looking appearance for the longest time
- Unique slip resistant gripper pattern on the back

### Recommended use



- Indoor
- For placement inside entrances of hotels, shops, department stores, schools, universities, restaurants, supermarkets.
- Heavy traffic

### Colors:

- Brown
- Charcoal
- Grey
- Red/Black

### Sizes:

- 120cm x 180cm
- 60cm x 90cm
- 90cm x 150cm



**pittman**®



# Dust Control Matting - Carpet Mats

## Aqua Trap®

### General

Brand	Notrax
Category	Carpet Mats
Product Number	150
Product Family	Industrial & Commercial Matting
Product Group	Dust Control Matting
Product Name	Aqua Trap®
Recommended use	For placement inside entrances of hotels, shops, department stores, schools, universities, restaurants, supermarkets.
Shipping Location	Barendrecht 2992SB, NL, Chicago, IL 60638, US
Type	Indoor/Outdoor Carpet Mat
Update trigger	20210310-1301
Usage Intensity	Heavy traffic

### Sustainability

Reach	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Sustainability	Recyclable material, Contributes to a cleaner environment by reducing need of cleaning chemicals
Warranty	5

### Tests

Fire rating EU	ASTM D2859 passes DOC-FF-1-70
Fire rating US	Pass
Sanitary Testing	Pass
Surface Flammability	Pass

### Technical Specifications

Absorption Capacity	3.6 l/m <sup>2</sup>
Accelerated Soiling	4
Accelerated Wear	4
Application	Loose Lay Carpet Mats
Backing	Natural rubber
Edges	Fabric covered borders: 2.5 cm on all sides
Material Group	Polyester
Pile Weight (oz)	20
Process	Needle punch
Yarn Construction	Needle punched

