

TECHNICAL SPECIFICATIONS

Capacity: 50 litres.

Length: 490 mm, height above ground: 1100 mm.

Steel tube verticals 40 x 40 mm, elegantly curved.

Steel tube cross members 30 x 3 mm, ground clearance: 150 mm.

Lid in 3 mm lacquered sheet aluminium.

Body of the bin in 1 mm galvanised steel sheet.

Elastic belt to hold the plastic bag in place supplied.

Steel painted with zinc primer, finished in our RAL colours.

To be concreted directly into the ground.
If installed within 5 miles of the coast, we strongly recommend an additional weather treatment for the steel work (galvanising). Contact us for more details.



PAINT FINISH



Procity
Grey



RAL 9010



RAL 5010



RAL 3020



RAL 9005



RAL 7044



RAL 3004



RAL 8017



Corten
effect

TECHNICAL SPECIFICATIONS

Capacity: 50 litres.

Length: 490 mm, height above ground: 1100 mm.

Steel tube verticals 40 x 40 mm, elegantly curved.

Steel tube cross members 30 x 3 mm, ground clearance: 150 mm.

Lid in 3 mm lacquered sheet aluminium.

Elastic belt to hold the plastic bag in place supplied.

Steel painted with zinc primer, finished in our RAL colours.

To be concreted directly into the ground.
If installed within 5 miles of the coast, we strongly recommend an additional weather treatment for the steel work (galvanising). Contact us for more details.



PAINT FINISH



Procity Grey



RAL 9010



RAL 5010



RAL 3020



RAL 9005



RAL 7044



RAL 3004



RAL 8017



Corten effect

	5	1	Tendeur pour fixation sache de corbeille	ACC03010
	1	1	CORPS DE CORBEILLE	
X	N°	Qté	Description	Références

