


# 745 Dots 'n' Roll™ 3.5 mm

Industrial bubble surface profile rubber runner



#### Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring 745 Dots 'n' Roll™ 3.5 mm

All-round floor covering for industrial and general applications. Withstands diluted acids and alkalis.

- SBR rubber
- Surface: profile of mildly raised dots

Recommended use

- Dry Areas
- For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
- Medium duty

Colors:

- Black
- Grey

Sizes:

- 100cm x linm
- 100cm x 10m





# Ergonomic, Anti-fatigue & Safety Matting - Runners & Flooring Dots 'n' Roll™ 3.5 mm

#### General

Brand	Notrax
Category	Runners & Flooring
Product Number	745
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Dots 'n' Roll™ 3.5 mm
Recommended use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
Shipping Location	Barendrecht 2992SB, NL
Туре	Runners - Non-directional
Update trigger	20210310-1301
Usage Intensity	Medium duty

### Sustainability

Reach	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Sustainability	Recyclable material

#### Tests

Abrasion Resistance 1000	250 mm <sup>3</sup> @ 5000 cycles
Elongation	225%
Hardness	75 Shore A
Slip Rating	R9
Surface Flammability	Pass
Tear Strength	20 N/mm <sup>2</sup>

## **Technical Specifications**

Application	Industrial Environments
Edges	No borders
Material	SBR Rubber
Material Group	Rubber
Process	Calendering
Temperature Range	- 40 ° C up to + 120 ° C

