

Park It 1800mm Rubber Wheel Stop



*See Full Range of
Wheel Stops*

Features:

- Durable wheel stop made from compressed rubber & polyurethane prepolymer.
- Density of the rubber composite is 0.6oz/cu in (ASTM C642).
- Each 1800mm section features 10 x reflective markings for increased visibility.
- 4 x 180mm coachscrew & rawplug fixings included for concrete surface.
- 4 x 360 mm galvanised rebar spike included for tarmac surface.

Benefits:

- Easy installation
- Highly visible during the day or night.
- Ideal for protecting property from damage & prevents vehicles from rolling.
- Durable rubber parking kerb designed to maintain condition.

Additional Elements:



GNR
TECHNOLOGIES

Park It 1800mm Rubber Wheel Stop

Best selling rubber parking kerb suitable for private or commercial car parking areas. Available in 5 separate colour variations the Park It 1800mm rubber wheel stop has been tested and trusted for over 6 years. Pittman guarantee 3 years warranty. Avoid cheap alternatives with adhesive tape



Watch Park It 1800 Installation



Suitable for:







	Width (mm)	Length (mm)	Height (mm)	Weight (kg)	Material
Park It 1800mm	1800mm	150mm	100mm	15.5kg	100% recycled rubber & polyurethane prepolymer

All dimensions displayed in **millimeters**.

TOP VIEW



BOTTOM VIEW



Choose Park It 1800mm by colour:



[P-756551](#)



[P-898947](#)



[P-899227](#)