

566 Superflow® XT Reversible anti-slip drainage mat



Ergonomic, Anti-fatigue & Safety Matting - Food Processing and Food Service Matting 566 Superflow® XT

Rubber duckboards provide a comfortable and safe working platform in wet areas with its aggressive slip resistant surface. Large holes and raised studs allow fluids in wet areas or debris in dry areas to fall through leaving the surface clear.

- Perforated woven surface is slip-resistant while allowing instant evacuation of liquids
- Reversible anti-slip mat is remarkably comfortable and usable on both sides for extended life
- Low profile for easy cart access
- Lightweight to facilitate lifting and cleaning

Recommended use


- Wet/Dry and Oily Areas
- Medium duty

Colors:

Black

Sizes:

- 122cm x 183cm
- 60cm x 90cm
- 91cm x 152cm



WEAR RESISTANCE

SLIP RESISTANCE

ANTI-FATIGUE

















Ergonomic, Anti-fatigue & Safety Matting - Food Processing and Food Service Matting $Superflow^{\text{@}} \ XT$

General

Brand	Notrax
Category	Food Processing and Food Service Matting
Product Number	566
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Superflow® XT
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Туре	Wet/Dry or Oily Areas - Anti Slip Mats
Update trigger	20210310-1301
Usage Intensity	Medium duty

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Recycled	True
Sustainability	Recyclable material
Warranty	1

Tests

Elongation	400%
Fire rating US	Pass
Tear Strength	40 PSI

Technical Specifications

Edges	Moulded bevelled edges on all sides
Material	Natural rubber
Material Group	Natural rubber
Process	Compression Moulding
Temperature Range	- 40 ° C up to + 120 ° C

567 Superflow® XT Nitrile Oil resistant reversible anti-slip drainage mat



Ergonomic, Anti-fatigue & Safety Matting - Food Processing and Food Service Matting

567 Superflow® XT Nitrile

Rubber duckboards provide a comfortable and safe working platform in wet areas with its aggressive slip resistant surface. Large holes and raised studs allow fluids in wet areas or debris in dry areas to fall through leaving the surface area

- Oil resistant reversible anti-slip mat is remarkably comfortable and usable on both sides for extended life
- Perforated woven surface is slip resistant while allowing instant evacuation of liquids in wet areas
- Low profile for easy cart access
- Lightweight to facilitate lifting and cleaning
- 100% nitrile rubber compound is resistant to most industrial oils

Recommended use

- Wet/Dry and Greasy Areas
- Medium duty

Colors:

Black

Sizes:

- 122cm x 183cm
- 60cm x 90cm
- 91cm x 152cm



WEAR RESISTANCE

SLIP RESISTANCE

ANTI-FATIGUE





















Ergonomic, Anti-fatigue & Safety Matting - Food Processing and Food Service Matting $Superflow^{\text{@}} \ XT \ Nitrile$

General

Brand	Notrax
Category	Food Processing and Food Service Matting
Product Number	567
Product Family	Industrial & Commercial Matting
Product Group	Ergonomic, Anti-fatigue & Safety Matting
Product Name	Superflow® XT Nitrile
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Туре	Wet/Dry or Oily Areas - Anti Slip Mats
Update trigger	20210310-1301
Usage Intensity	Medium duty

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Recycled	True
Sustainability	Recyclable material
Warranty	1

Tests

Elongation	400%
Hardness	55 Shore
Surface Flammability	Pass
Tear Strength	40 PSI

Technical Specifications

Edges	Moulded bevelled edges on all sides
Material	100% Nitrile rubber
Material Group	Nitrile rubber
Process	Compression Moulding

