

019 Uni Imperial™ Absorbent uni-colour mat



Logo Matting - Printed Mats 019 Uni Imperial™

Uni Imperial™ is a mono-coloured mat printed in any colour to match your mat to any interior or to use together with the custom printed logo mats for a colour coordinated matting system.

- A durable vinyl backing with smooth finish adapts to any surface
- Tufted Frieze cut loop pile consisting of 100% noncrush polyamide 6 high twist yarns
- 700 grams of yarns per m²

Recommended use

- Indoor
- For placement in large entrances at hotels, shopping malls, cinemas, public buildings, department stores, banks, restaurants.
- Medium traffic

Colors:

Off White

Sizes:

- 120cm x 180cm
- 120cm x 240cm
- 60cm x 90cm
- 90cm x 120cm
- 90cm x 150cm
- 135cm x linm
- 150cm x linm
- 200cm x linm



WATER RETENTION

CRUSH RESISTANCE

RATING DUST CONTROL

B2 Athy Business Campus Athy Co. Kildare R14 PK74 sales@pittman.ie

01 5312777

1310 Solihull Parkway Birmingham Business Park Birmingham B37 7YB sales@pittman.uk

0121 630 3527

Logo Matting - Printed Mats Uni Imperial™

General

Brand	Notrax
Category	Printed Mats
Product Number	019
Product Family	Industrial & Commercial Matting
Product Group	Logo Matting
Product Name	Uni Imperial™
Recommended use	For placement in large entrances at hotels, shopping malls, cinemas, public buildings, department stores, banks, restaurants.
Shipping Location	Barendrecht 2992SB, The Netherlands
Туре	Indoor Absorbant - Printed Logo Mats
Update trigger	20210310-1301
Usage Intensity	Medium traffic

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Sustainability	Recyclable material, Contributes to a cleaner environment by reducing need of cleaning chemicals
Warranty	1

Tests

Comfort Class	LC3
Fire rating EU	EN 13501-1 Bfl-S1
Fire rating US	Pass
Light Fastness	5
Organic Solvents	4
Rubbing Fastness	4
Salt Water	4
Shampoo	4
Static Charge	<0.1
Surface Flammability	Pass
Water Fastness	4

Technical Specifications

Absorption Capacity	4 l/m2
Backing	Black vinyl (DOP free)
Edges	Vinyl borders: 2.5 cm on all sides
Material	Frieze 100% polyamide 6.6 high twist yarns
Material Group	Polyamide
Pile Weight (g)	700
Primary Backing	Nonwoven PET/PA
Process	Tufting
Yarn Construction	Cut loop pile - frieze